




Concrete delivery line



catalog 2.012

Pipe Series

Code	Model	Pipe DN ø (mm)	Flange	Material	Capacity (m3)
NP3-5 M	Normal Pipe 5" L=3 mt.	125	Metric	#20 steel	10.000
NP3-5 HD			Hevi Duty		-
NP3-5 HD					12.000
NPDF3-5 M	Normal Pipe 5" L=3 mt. Double Flange wearing incert	125	Metric	#20 steel	12.000
NPDF3-5 HD			Hevi Duty		-
NPDF3-5 HD					15.000
HPDF3-5 M	Hardened Pipe 5" L=3 mt. Double Flange wearing incert	125	Metric	High frequency quenched #45 Steel	30.000
HPDF3-5 HD			Hevi Duty		-
HPDF3-5 HD					35.000
NP3-4 M	Normal Pipe 4" L=3 mt.	100	Metric	#20 steel	10.000
NP3-4 HD			Hevi Duty		-
NP3-4 HD					12.000
NPDF3-4 M	Normal Pipe 4" L=3 mt. Double Flange wearing incert	100	Metric	#20 steel	12.000
NPDF3-4 HD			Hevi Duty		-
NPDF3-4 HD					15.000
HPDF3-4 M	Hardened Pipe 4" L=3 mt. Double Flange wearing incert	100	Metric	High frequency quenched #45 Steel	30.000
HPDF3-4 HD			Hevi Duty		-
HPDF3-4 HD					35.000
NPNF3-5	Normal Pipe 5" and 4"	125	No	#20 Steel	10.000
NPNF3-4	L=3 mt.	100	Flange		-
NPNF3-4					12.000



Reducers

Code	Model	Pipe DN ø (mm)	Flange	Material
RED 5-4-120 M	Normal Pipe Reducer L=120 cm	125 to 100	Metric	#20 steel
RED 5-4-120 HD			Hevi Duty	
RED CE-275-5-4-90 M	Cast Elbow reducer Radius = 275 mm	125 to 100	Metric	steel
RED CE-275-5-4-90 M			Hevi Duty	



STARK MFG

9383 NW 13 ST
MIAMI, FL 33172
Ph: (786) 314-7036
Fax: (954) 333-3579
info@starkmf.com


www.starkmf.com

Elbow Series

Code	Model	Radius (mm)	Pipe DN ø (mm)	Flange	Degrees
CE-275-5-90 M	5" Cast Elbow	275	125	Metric	90
CE-275-5-45 M					45
CE-275-5-90 HD				Hevi Duty	90
CE-275-5-45 HD					45
CE-275-4-90 M	4" Cast Elbow	275	100	Metric	90
CE-275-4-45 M					45
CE-275-4-90 HD				Hevi Duty	90
CE-275-4-45 HD					45
BE-1000-5-90 M	5" Bend Elbow	1000	125	Metric	90
BE-1000-5-45 M					45
BE-1000-5-90 HD				Hevi Duty	90
BE-1000-5-45 HD					45
BE-1000-4-90 M	4" Bend Elbow	1000	100	Metric	90
BE-1000-4-45 M					45
BE-1000-4-90 HD				Hevi Duty	90
BE-1000-4-45 HD					45

Hoses Series

Code	Model	Hose DN ø (mm)	Flange	Length (mm)
RH3-5-4 M	5" Rubber Hose	125	Metric	3000
RH6-5-4 M	4 layers - Steel Wire			6000
RH3-5-4 HD	Working pressure 80 bar		Hevi Duty	3000
RH6-5-4 HD	Burst pressure 200 bar			6000
RH3-4-4 M	4" Rubber Hose	100	Metric	3000
RH6-4-4 M				6000
RH9-4-4 M			4 layers - Steel Wire	9000
RH3-4-4 HD			Working pressure 80 bar	Hevi Duty
RH6-4-4 HD	Working pressure 200 bar	6000		
RH9-4-4 HD		9000		



STARK MFG

9383 NW 13 ST
MIAMI, FL 33172
Ph: (786) 314-7036
Fax: (954) 333-3579
info@starkmf.com

www.starkmf.com

Couplings and Gaskets

Code	Model	Pipe DN ø (mm)	Flange	
CS5G M	5" Cast Galvanized	125	Metric	
CS5G HD			Hevi Duty	
CS4G M	4" Cast Galvanized	100	Metric	
CS4G HD			Hevi Duty	
C2B5 M	5" 2 bold Coupling	125	Metric	
C2B5 HD			Hevi Duty	
C2B4 M	4" 2 bold Coupling	100	Metric	
C2B4 HD			Hevi Duty	
CF5 M	5" Fixable Paneled	125	Metric	
CF5 HD			Hevi Duty	
CF4 M	4" Fixable Paneled	100	Metric	
CF4 HD			Hevi Duty	
CG5 M	5" Rubber Gasket	125	Metric	
CG5 HD			Hevi Duty	
CG4 M	4" Rubber Gasket	100	Metric	
CG4 HD			Hevi Duty	

Accessories and Parts

Code	Model	Pipe DN ø (mm)	Flange	
F5 FLAT M	5" Flat Flange	125	Metric	
F5 FLAT HD			Hevi Duty	
F4 FLAT M	4" Flat Flange	100	Metric	
F4 FLAT HD			Hevi Duty	
RPPM200	Rubber Piston	Type PM200		
RPPM230		Type PM 230		
RPS180		Type SW DN180		
RPS250		Type SW DN180		
SB5M	5" Sponge cleaning ball	Medium		
SB5H		Hard		
SB4M	4" Sponge cleaning ball	Medium		
SB4H		Hard		



www.starkmf.com



STARK MFG

9383 NW 13 ST
MIAMI, FL 33172
Ph: (786) 314-7036
Fax: (954) 333-3579
info@starkmf.com